

Supplementary Table 1. Incidence of Home Accidents in the Last Year and Last Month Among Children Aged 0-6, According to Their Characteristics

Characteristics (n = 1003)	Home accidents over one year					Home accidents over one month				
	n	(%)	n	(%)	P value	n	(%)	n	(%)	P value
Age										
Under 2 years	25a	9.6	236a	90.4	< .001*	20a	7.7	241a	92.3	< .001*
2-3 years	100b	32.2	211b	67.8		60b	19.3	251b	80.7	
4 years and older	95c	22.0	336c	78.0		48a	11.1	383a	88.9	
Gender										
Female	98	19.3	411	80.7	.037*	57	11.2	452	88.8	.132*
Male	122	24.7	372	75.3		71	14.4	423	85.6	
Health status										
Healthy	207	21.7	747	78.3	.667**	122	12.8	832	87.2	.947**
Disabled	5	25.0	15	75.0		2	10.0	18	90.0	
Chronic illness	8	28.6	20	71.4		4	14.3	24	85.7	
Other	0	0.0	1	100.0		0	0.0	1	100.0	
Caregiver										
Parent	172a	20.4	673a	79.6	.027**	94a	11.1	751a	88.9	.005**
Grandparent	7a.b	38.9	11a.b	61.1		5b	27.8	13b	72.2	
Other relative	1a.b	12.5	7a.b	87.5		1a.b	12.5	7a.b	87.5	
Nanny	1a.b	16.7	5a.b	83.3		1a.b	16.7	5a.b	83.3	
Daycare	39b	31.0	87b	69.0		27b	21.4	99b	78.6	

*Pearson Chi-Square
**Fisher's Exact Test

Supplementary Table 2. Characteristics of the Most Recent Home Accident in the Past Month Among Mothers’ Children Aged 0-6

Categories (n = 12)	Subcategories	n (%)
Type of accident	Fall	73 (59.8)
	Burn	18 (14.8)
	Impact/crushing	15 (12.3)
	Cutting instrument injury	6 (4.9)
	Aspiration/drowning	5 (4.1)
	Falling household items	4 (3.3)
	Poisoning	1 (0.8)
Affected area	Head-neck	64 (52.5)
	Arms	26 (21.3)
	Legs	14 (11.5)
	Trunk, respiratory or digestive system	13 (10.6)
	Other	5 (4.1)
Recurrence of accident	Yes	29 (23.8)
	No	93 (76.2)
Person present during accident	Mother	61 (50)
	Alone	30 (24.6)
	Other	31 (25.4)
Location of accident	Living room	60 (49.2)
	Child/bedroom	20 (16.4)
	Garden, stairs	15 (12.3)
	Kitchen	13 (10.6)
	Hallway	8 (6.6)
	Bathroom/WC, balcony/terrace	6 (4.9)
Time of accident	Morning	15 (12.3)
	Noon	57 (46.7)
	Evening	48 (39.4)
	Night	2 (1.6)
Outcome of accident	Fully recovered	87 (71.3)
	Minor injury	30 (24.6)
	Temporary disability	3 (2.5)
	Permanent disability	2 (1.6)
Preventive measures taken after accident	Yes	86 (70.5)
	No	36 (29.5)

Supplementary Table 3. Incidence of Home Accidents in the Past Month Among Children Aged 0-6, According to Mothers' Perception of and Behavior Towards Accidents

Recommendations	Home Accident				P value
	Occurred		None		
	n	(%)	n	(%)	
Protection					
Mothers should always think there is too much danger around their children.	60a	22.6	205a	77.4	.040
Mothers can fear their children getting hurt.	57a.b	17.1	276a.b	82.9	
Mothers worry unnecessarily about their children.	5b	9.3	49b	90.7	
Observation					
Mothers should maintain constant awareness of their children's activities.	61	17.2	293	82.8	.271
Intermittent monitoring of their children's activities is adequate for some mothers.	57	21.4	209	78.6	
For some mothers, it is sufficient to be present without detailed knowledge of their children's activities.	4	12.5	28	87.5	
Risk Tolerance					
Mothers should take all necessary precautions to prevent mishaps.	39	20.2	154	79.8	.806
If children are unharmed and enjoying themselves, intervention is not necessary.	43	18.4	191	81.6	
Mothers should allow their children to handle minor mishaps independently, promoting resilience without immediate intervention.	40	17.8	185	82.2	
Fatalism					
All child accidents are due to bad luck.	12a	25.5	35a	74.5	.030
Child accidents may be due to bad luck, but some are due to negligence.	77a	21.2	286a	78.8	
All children's accidents are due to some negligence.	33b	13.6	209b	86.4	

* Pearson Chi-Square